
















20inch fat tire EBIKE Quotation


















Model name	Picture	Specifications	Packing Info	US\$(EXW)	Product link	Remarkd
M17		<p>Motor: 500W</p> <p>Battery: 48V10.4A lithium battery</p> <p>Speed: 25KM/hour-50KM/hour</p> <p>Range: 40 kilometers</p> <p>Seat tube: aluminum alloy</p> <p>Tires: 20*4.0 special tires for electric vehicles</p> <p>Horizontal handle: aluminum alloy</p> <p>Freewheel: Shimano 7-speed</p> <p>Frame material: aluminum alloy</p> <p>Loading capacity: 150kg</p> <p>Front fork: Snowmobile double shoulder oil yellow shock-absorbing front fork</p>	<p>NW: 30kg/GW: 36kg</p> <p>Packaging: 152CM*30CM*85CM</p> <p>20ft:70pcs/40ft 140pcs/40hq: 175pcs</p>	\$620	https://imovingon.com/product/electric-bike-motorcycles-liideWAY-m17/	<p>48V15A:43us\$</p> <p>48V20A:85us\$</p> <p>hydraulic oil brake:35us\$</p> <p>750W motor:15us\$</p> <p>1000W motor :20us\$</p> <p>1500W motor:35us\$</p> <p>500W dual motors :70us\$</p> <p>750W dual motors:85us\$</p> <p>1000W dual motors:98us\$</p> <p>1500W dual motors:138us\$</p> <p>Jianda tire:10us\$</p>
M18		<p>Motorcycle Type: Off-Road Motorcycles</p> <p>Max. Speed: 40 – 60km/h</p> <p>Voltage: 60V</p> <p>MOTOR:72V QS BRUSHLESS</p> <p>TIRE SIZE :FRONT 17 REAR 14</p> <p>SEAT HEIGHT: 810MM</p>	<p>packing size: 139*43*64cm</p> <p>NW/GW:71/81kg</p> <p>60PCS/20FT</p> <p>164PCS/40HQ</p>	\$2,500	https://imovingon.com/product/electric-dirt-bike-liideWAY-m18/	
M16		<p>26inch fat tire with front/rear shock</p> <p>Load capacity: 200kg</p> <p>Motor: 1000-15000W with 12G spokes</p> <p>Battery: 48V25A-72V80A lithium battery</p> <p>Range: 40-200KM</p> <p>Speed: 25h-70/h</p> <p>Bowl group: Peillin bearing bowl group</p> <p>Seat tube: aluminum alloy</p> <p>Tires: 26 * 4.0 tires</p> <p>Horizontal handle: aluminum alloy</p> <p>Tooth disc: aluminum alloy crank 48T</p> <p>Allocation: Shimano TX50 allocation</p> <p>Back dial: Shimano ZT50 back dial</p> <p>Flywheel: Shimano 7-speed</p> <p>Mud board: 26 * 4.0 snowmobile half pack flying board</p> <p>Controller: 18 tube 50A</p> <p>Instrument: Intelligent central control color large screen P68 waterproof</p> <p>Switch: Waterproof joint controls headlight horn</p> <p>Brake handle: waterproof joint power outage brake handle</p> <p>Disc brake: hydraulic oil brake for front and rear</p> <p>Charger: certified plug 54.6VDC head 2.5 Three cycling modes</p> <p>1. Pure electric</p> <p>2. Electric assistance</p> <p>3. Human cycling</p>	<p>NW: 50KG</p> <p>GW: 55KG</p> <p>Packaging size: 165*33*90CM</p> <p>20FT: 57 units</p> <p>40FT:128 units</p>	<p>1000W48V25A:880US\$</p> <p>1000W48V30A:908US\$</p> <p>1000W48V35A:946US\$</p> <p>1000W48V40A:982us\$</p> <p>1000W48V50A:1058us\$</p> <p>1000W48V60A:1132us\$</p> <p>1500W48V25A:900us\$</p> <p>1500W48V30A:938us\$</p> <p>1500W48V35A:975us\$</p> <p>1500W48V40A:1026us\$</p> <p>1500W48V50A:1100us\$</p> <p>1500W48V60A:1175us\$</p> <p>2000W48V25A:943us\$</p> <p>2000W48V30A:980us\$</p> <p>2000W48V35A:1018us\$</p> <p>2000W48V40A:1068us\$</p> <p>2000W48V50A:1425us\$</p> <p>2000W48V60A:1218us\$</p> <p>3000W60V25A:986us\$</p> <p>3000W60V30A:1022us\$</p> <p>3000W60V35A:1060us\$</p> <p>3000W60V40A:1112us\$</p> <p>3000W60V50A:1186US\$</p> <p>3000W60V60A:1260US\$</p>	<p>5000W72V25A:1028US\$</p> <p>5000W72V30A:1066US\$</p> <p>5000W72V35A:1103US\$</p> <p>5000W72V40A:1156US\$</p> <p>5000W72V50A:1228US\$</p> <p>5000W72V60A:1300US\$</p> <p>8000W72V25A:1343US\$</p> <p>8000W72V30A:1380US\$</p> <p>8000W72V35A:1418US\$</p> <p>8000W72V40A:1468US\$</p> <p>8000W72V50A:1545US\$</p> <p>8000W72V60A:1618US\$</p> <p>12000W72V25A:1386US\$</p> <p>12000W72V30A:1423US\$</p> <p>12000W72V35A:1460US\$</p> <p>12000W72V40A:1522US\$</p> <p>12000W72V50A:1588US\$</p> <p>12000W72V60A:1168US\$</p> <p>15000W72V25A:1429US\$</p> <p>15000W72V30A:1468US\$</p> <p>15000W72V35A:1508US\$</p> <p>15000W72V40A:1558US\$</p> <p>15000W72V50A:1628US\$</p> <p>15000W72V60A:1728US\$</p>	https://imovingon.com/product/electric-motorcycle-liideWAY-m16/

M1plus		<p>20inch fat tire Pure Electric scooter motor: 500W-1000W spoke wheel Range: 40km Battery: 48V20AH lithium battery (support 2 battery) Speed: 25km/h-50km/h Tires: 20 * 5.0inch fat tire LCD: 6inch LCD screen Shock: with front shock Controller: 9-tube 25A Instrument: 5-speed P68 waterproof with USB Switch:horn/ headlight/ turn light Disc brake: disc brake for front and rear Charger: certified plug 54.6VDC head 2.5 Load capacity: 150kg cycling modes: Pure electric</p>	Packing size: 1580×280×730mm NW: 35 kg GW: 48 kg 20ft:87pcs 40ft:179pcs 40HQ: 210pcs	500W48V15A:598us\$ 500W48V20A:628us\$	https://imovingon.com/product/electric-bike-liideway-m1plus/	20Ah battery: extra:180us\$ 1000W motor:80us\$
M1Pro		<p>20inch fat tire 48V Ebike with front shock motor: 350W-1000W spoke wheel Range: 40km Battery: 48V8-20AH lithium battery Speed: 25km/h-50km/h Bowl set: electric vehicle specific bowl set Seat tube: aluminum alloy Tires: 20 * 4.0inch fat tire Horizontal handle: aluminum alloy Tooth disc: aluminum alloy crank 48T Allocation: Shimano TX50 allocation Back dial: Shimano ZT50 back dial Flywheel: Shimano 7-speed Mud board: 20 * 4.0 snowmobile half pack flying board Controller: 9-tube 25A Instrument: 5-speed P68 waterproof with USB Switch:horn/ headlight/ turn light Disc brake: disc brake for front and rear Chain: 120 special anti rust chains for electric vehicles Charger: certified plug 54.6VDC head 2.5 Load capacity: 150kg</p> <p>Three cycling modes 1. Pure electric 2. Electric assistance 3. Human cycling</p>	Packing size: 1580×280×730mm NW: 35 kg GW: 48 kg 20ft:87pcs 40ft:179pcs 40HQ: 210pcs	500W48V8A:508us\$ 500W48V10A:518us\$ 500W48V13A:535us\$ 500W48V15A:558us\$ 500W48V20A:588us\$	https://imovingon.com/product/electric-bike-liideway-m1plus/	
M17		<p>48V 14inch small Harley Motor: 48V500W brushless Controller:9-tube 20A controller Material:high carbon steel frame Tire:14 * 6.0 vacuum tire Brake:front and rear disc brakes Shock:front oil pressure shock absorption aluminum wheel magnetic card integrated rotating handle battery capacity :48V13A Lithium battery</p>	NW: 36.5KG GW: 43KG Packaging size: 138*28*94cm 20FT:78pcs 40HQ:189pcs	445US\$		
M18		<p>48V 16inch Kids ebike Motor: 48V350W brushless Battery: 48V13AH lithium battery Controller:9-tube 20A controller Material:high carbon steel frame Tire:16 * 3.0 vacuum tire Brake:front and rear disc brakes Shock:middle shock absorption aluminum wheel magnetic card integrated rotating handle battery capacity :48V13A Lithium battery Flywheel: Shimano 7-speed</p>	NW: 28KG GW:35KG Packaging size: 130*28.5*70cm	380us\$	https://imovingon.com/product/e-bike-liideway-m18/	
M1	 	<p>20inch fat tire 48V Ebike with front shock motor: 350W-1000W spoke wheel Range: 40km Battery: 48V8-20AH lithium battery Speed: 25km/h-50km/h Bowl set: electric vehicle specific bowl set Seat tube: aluminum alloy Tires: 20 * 4.0inch fat tire Horizontal handle: aluminum alloy Tooth disc: aluminum alloy crank 48T Allocation: Shimano TX50 allocation Back dial: Shimano ZT50 back dial Flywheel: Shimano 7-speed Mud board: 20 * 4.0 snowmobile half pack flying board Controller: 9-tube 25A Instrument: 5-speed P68 waterproof with USB Switch:horn/ headlight/ turn light Disc brake: disc brake for front and rear Chain: 120 special anti rust chains for electric vehicles Charger: certified plug 54.6VDC head 2.5 Load capacity: 150kg</p> <p>Three cycling modes 1. Pure electric 2. Electric assistance 3. Human cycling</p>	Packing size: 148*30*82CM NW:28kg GW:36kg 20ft:75pcs 40ft:145pcs 40HQ:183pcs	350W48V8A:407us\$ 350W48V10:435us\$ 350W48V13A:460us\$ 350W48V15A:488us\$ 350W48V20A:508us\$ 500W48V8A:415us\$ 500W48V10A:438us\$ 500W48V13A:455us\$ 500W48V15A:478us\$ 500W48V20A:508us\$ 750W48V8A:420us\$ 750W48V10:435us\$ 750W48V13A:459us\$ 750W48V15A:480us\$ 750W48V20A:515us\$ 1000W48V8A:430us\$ 1000W48V10:445us\$ 1000W48V13A:469us\$ 1000W48V15A:490us\$ 1000W48V20A:525us\$	https://imovingon.com/product/city-e-bike-liideway-m1/	20 inch 3.0 tires: Less:7.5us\$ Upgrade 750W Bafang motor:Extra:58us\$ Upgrade the hydraulic oil brake:extra:28us\$ Upgrading Kenda Rubber:Extra:13us\$

M2		<p>20inch fat tire 48V Ebike with front/rear shock motor: 350W-1000W spoke wheel Range: 40km Battery: 48V8-20AH lithium battery Speed: 25km/h-50km/h Bowl set: electric vehicle specific bowl set Seat tube: aluminum alloy Tires: 20 * 4.0inch fat tire Horizontal handle: aluminum alloy Tooth disc: aluminum alloy crank 48T Allocation: Shimano TX50 allocation Back dial: Shimano ZT50 back dial Flywheel: Shimano 7-speed Mud board: 20 * 4.0 snowmobile half pack flying board Controller: 9-tube 25A Instrument: 5-speed P68 waterproof with USB Switch:horn/ headlight/ turn light Disc brake: disc brake for front and rear Chain: 120 special anti rust chains for electric vehicles Charger: certified plug 54.6VDC head 2.5 Load capacity: 150kg</p> <p>Three cycling modes 1. Pure electric 2. Electric assistance 3. Human cycling</p>	Packing size: 148*30*82CM NW:28kg GW:36kg 20ft:75pcs 40ft:145pcs 40HQ:183pcs	350W48V8A:428us\$ 350W48V10:457us\$ 350W48V13A:482us\$ 350W48V15A:500us\$ 350W48V20A:530us\$ 500W48V8A:437us\$ 500W48V10A:468us\$ 500W48V13A:487us\$ 500W48V15A:518us\$ 500W48V20A:540us\$ 750W48V8A:445us\$ 750W48V10:457us\$ 750W48V13A:498us\$ 750W48V15A:525us\$ 750W48V20A:548us\$ 1000W48V8A:452us\$ 1000W48V10:467us\$ 1000W48V13A:505us\$ 1000W48V15A:530us\$ 1000W48V20A:555us\$	https://imovingon.com/product/cargo-e-bike-liideway-m2/	20 inch 3.0 tires: Less:7.5us\$ Upgrade 750W Bafang motor:Extra:58us\$ Upgrade the hydraulic oil brake:extra:28us\$ Upgrading Kenda Rubber:Extra:13us\$
M3		<p>20inch fat tire 48V Ebike motor: 350W-1000W spoke wheel Range: 40km Battery: 48V8-20AH lithium battery Speed: 25km/h-50km/h Bowl set: electric vehicle specific bowl set Seat tube: aluminum alloy Tires: 20 * 4.0inch fat tire Horizontal handle: aluminum alloy Tooth disc: aluminum alloy crank 48T Allocation: Shimano TX50 allocation Back dial: Shimano ZT50 back dial Flywheel: Shimano 7-speed Mud board: 20 * 4.0 snowmobile half pack flying board Controller: 9-tube 25A Instrument: 5-speed P68 waterproof with USB Switch:horn/ headlight/ turn light Disc brake: disc brake for front and rear Chain: 120 special anti rust chains for electric vehicles Charger: certified plug 54.6VDC head 2.5 Load capacity: 150kg</p> <p>Three cycling modes 1. Pure electric 2. Electric assistance 3. Human cycling</p>	Packing size: 148*30*82CM NW:28kg GW:36kg 20ft:75pcs 40ft:145pcs 40HQ:183pcs	350W48V8A:450us\$ 350W48V10:479us\$ 350W48V13A:504us\$ 350W48V15A:522us\$ 350W48V20A:552us\$ 500W48V8A:459us\$ 500W48V10A:490us\$ 500W48V13A:509us\$ 500W48V15A:530us\$ 500W48V20A:562us\$ 750W48V8A:467us\$ 750W48V10:479us\$ 750W48V13A:520us\$ 750W48V15A:547us\$ 750W48V20A:570us\$ 1000W48V8A:474us\$ 1000W48V10:489us\$ 1000W48V13A:527us\$ 1000W48V15A:552us\$ 1000W48V20A:577us\$	https://imovingon.com/product/hybrid-e-bike-liideway-m3/	20 inch 3.0 tires: Less:7.5us\$ Upgrade 750W Bafang motor:Extra:58us\$ Upgrade the hydraulic oil brake:extra:28us\$ Upgrading Kenda Rubber:Extra:13us\$
M4		<p>20inch fat tire 48V Ebike motor: 350W-1000W spoke wheel Range: 40km Battery: 48V8-20AH lithium battery Speed: 25km/h-50km/h Bowl set: electric vehicle specific bowl set Seat tube: aluminum alloy Tires: 20 * 4.0inch fat tire Horizontal handle: aluminum alloy Tooth disc: aluminum alloy crank 48T Allocation: Shimano TX50 allocation Back dial: Shimano ZT50 back dial Flywheel: Shimano 7-speed Mud board: 20 * 4.0 snowmobile half pack flying board Controller: 9-tube 25A Instrument: 5-speed P68 waterproof with USB Switch:horn/ headlight/ turn light Disc brake: disc brake for front and rear Chain: 120 special anti rust chains for electric vehicles Charger: certified plug 54.6VDC head 2.5 Load capacity: 150kg</p> <p>Three cycling modes 1. Pure electric 2. Electric assistance 3. Human cycling</p>	Packing size: 148*30*82CM NW:28kg GW:36kg 20ft:75pcs 40ft:145pcs 40HQ:183pcs	350W48V8A:474us\$ 350W48V10:503us\$ 350W48V13A:528us\$ 350W48V15A:546us\$ 350W48V20A:576us\$ 500W48V8A:483us\$ 500W48V10A:514us\$ 500W48V13A:533us\$ 500W48V15A:554us\$ 500W48V20A:586us\$ 750W48V8A:493us\$ 750W48V10:508us\$ 750W48V13A:544us\$ 750W48V15A:571us\$ 750W48V20A:594us\$ 1000W48V8A:498us\$ 1000W48V10:513us\$ 1000W48V13A:551us\$ 1000W48V15A:576us\$ 1000W48V20A:601us\$	https://imovingon.com/product/hybrid-e-bike-liideway-m4/	20 inch 3.0 tires: Less:7.5us\$ Upgrade 750W Bafang motor:Extra:58us\$ Upgrade the hydraulic oil brake:extra:28us\$ Upgrading Kenda Rubber:Extra:13us\$

M4-A	 	<p>20inch fat tire 48V Ebike with front/rear shock motor: 350W-1000W spoke wheel Range: 40km Battery: 48V8-20AH lithium battery Speed: 25km/h-50km/h Bowl set: electric vehicle specific bowl set Seat tube: aluminum alloy Tires: 20 * 4.0inch fat tire Horizontal handle: aluminum alloy Tooth disc: aluminum alloy crank 48T Allocation: Shimano TX50 allocation Back dial: Shimano ZT50 back dial Flywheel: Shimano 7-speed Mud board: 20 * 4.0 snowmobile half pack flying board Controller: 9-tube 25A Instrument: 5-speed P68 waterproof with USB Switch:horn/ headlight/ turn light Disc brake: disc brake for front and rear Chain: 120 special anti rust chains for electric vehicles Charger: certified plug 54.6VDC head 2.5 Load capacity: 150kg</p> <p>Three cycling modes 1. Pure electric 2. Electric assistance 3. Human cycling</p>	Packing size: 148*30*82CM NW: 28kg GW: 36kg 20ft: 75pcs 40ft: 145pcs 40HQ: 183pcs	350W48V8A:474us\$ 350W48V10:503us\$ 350W48V13A:528us\$ 350W48V15A:546us\$ 350W48V20A:576us\$ 500W48V8A:483us\$ 500W48V10A:514us\$ 500W48V13A:533us\$ 500W48V15A:554us\$ 500W48V20A:586us\$ 750W48V8A:493us\$ 750W48V10:508us\$ 750W48V13A:544us\$ 750W48V15A:571us\$ 750W48V20A:594us\$ 1000W48V8A:498us\$ 1000W48V10:513us\$ 1000W48V13A:551us\$ 1000W48V15A:576us\$ 1000W48V20A:601us\$	https://imovingon.com/product/lightweight-e-bike-liideway-m4-a/	20 inch 3.0 tires: Less:7.5us\$ Upgrade 750W Bafang motor:Extra:58us\$ Upgrade the hydraulic oil brake:extra:28us\$ Upgrading Kenda Rubber:Extra:13us\$
M5	 	<p>20inch fat tire 48V Ebike with front shock motor: 350W-1000W spoke wheel Range: 40km Battery: 48V8-20AH lithium battery Speed: 25km/h-50km/h Bowl set: electric vehicle specific bowl set Seat tube: aluminum alloy Tires: 20 * 4.0inch fat tire Horizontal handle: aluminum alloy Tooth disc: aluminum alloy crank 48T Allocation: Shimano TX50 allocation Back dial: Shimano ZT50 back dial Flywheel: Shimano 7-speed Mud board: 20 * 4.0 snowmobile half pack flying board Controller: 9-tube 25A Instrument: 5-speed P68 waterproof with USB Switch:horn/ headlight/ turn light Disc brake: disc brake for front and rear Chain: 120 special anti rust chains for electric vehicles Charger: certified plug 54.6VDC head 2.5 Load capacity: 150kg</p> <p>Three cycling modes 1. Pure electric 2. Electric assistance 3. Human cycling</p>	Packing size: 148*30*82CM NW: 28kg GW: 36kg 20ft: 75pcs 40ft: 145pcs 40HQ: 183pcs	350W48V8A:378us\$ 350W48V10:407us\$ 350W48V13A:432us\$ 350W48V15A:450us\$ 350W48V20A:480us\$ 500W48V8A:387us\$ 500W48V10A:418us\$ 500W48V13A:437us\$ 500W48V15A:458us\$ 500W48V20A:490us\$ 750W48V8A:400us\$ 750W48V10:412us\$ 750W48V13A:448us\$ 750W48V15A:475us\$ 750W48V20A:498us\$ 1000W48V8A:407us\$ 1000W48V10:416us\$ 1000W48V13A:455us\$ 1000W48V15A:480us\$ 1000W48V20A:505us\$	https://imovingon.com/product/mountain-e-bike-liideway-m5/	20 inch 3.0 tires: Less:7.5us\$ Upgrade 750W Bafang motor:Extra:58us\$ Upgrade the hydraulic oil brake:extra:28us\$ Upgrading Kenda Rubber:Extra:13us\$
M6	 	<p>20inch fat tire 48V Ebike with front shock motor: 350W-1000W spoke wheel Range: 40km Battery: 48V8-20AH lithium battery Speed: 25km/h-50km/h Bowl set: electric vehicle specific bowl set Seat tube: aluminum alloy Tires: 20 * 4.0inch fat tire Horizontal handle: aluminum alloy Tooth disc: aluminum alloy crank 48T Allocation: Shimano TX50 allocation Back dial: Shimano ZT50 back dial Flywheel: Shimano 7-speed Mud board: 20 * 4.0 snowmobile half pack flying board Controller: 9-tube 25A Instrument: 5-speed P68 waterproof with USB Switch:horn/ headlight/ turn light Disc brake: disc brake for front and rear Chain: 120 special anti rust chains for electric vehicles Charger: certified plug 54.6VDC head 2.5 Load capacity: 150kg</p> <p>Three cycling modes 1. Pure electric 2. Electric assistance 3. Human cycling</p>	Packing size: 148*30*82CM NW: 28kg GW: 36kg 20ft: 75pcs 40ft: 145pcs 40HQ: 183pcs	350W48V8A:378us\$ 350W48V10:407us\$ 350W48V13A:432us\$ 350W48V15A:450us\$ 350W48V20A:480us\$ 500W48V8A:387us\$ 500W48V10A:418us\$ 500W48V13A:437us\$ 500W48V15A:458us\$ 500W48V20A:490us\$ 750W48V8A:400us\$ 750W48V10:412us\$ 750W48V13A:448us\$ 750W48V15A:475us\$ 750W48V20A:498us\$ 1000W48V8A:407us\$ 1000W48V10:416us\$ 1000W48V13A:455us\$ 1000W48V15A:480us\$ 1000W48V20A:505us\$	https://imovingon.com/product/foldable-e-bike-liideway-m6/	20 inch 3.0 tires: Less:7.5us\$ Upgrade 750W Bafang motor:Extra:58us\$ Upgrade the hydraulic oil brake:extra:28us\$ Upgrading Kenda Rubber:Extra:13us\$

M7	 	<p>20inch fat tire 48V Ebike with front/rear shock motor: 350W-1000W spoke wheel Range: 40km Battery: 48V8-20AH lithium battery Speed: 25km/h-50km/h Bowl set: electric vehicle specific bowl set Seat tube: aluminum alloy Tires: 20 * 4.0inch fat tire Horizontal handle: aluminum alloy Tooth disc: aluminum alloy crank 48T Allocation: Shimano TX50 allocation Back dial: Shimano ZT50 back dial Flywheel: Shimano 7-speed Mud board: 20 * 4.0 snowmobile half pack flying board Controller: 9-tube 25A Instrument: 5-speed P68 waterproof with USB Switch:horn/ headlight/ turn light Disc brake: disc brake for front and rear Chain: 120 special anti rust chains for electric vehicles Charger: certified plug 54.6VDC head 2.5 Load capacity: 150kg</p> <p>Three cycling modes 1. Pure electric 2. Electric assistance 3. Human cycling</p>	Packing size: 148*30*82CM NW:28kg GW:36kg 20ft:75pcs 40ft:145pcs 40HQ:183pcs	350W48V8A:400us\$ 350W48V10:429us\$ 350W48V13A:454us\$ 350W48V15A:472us\$ 350W48V20A:502us\$ 500W48V8A:409us\$ 500W48V10A:440us\$ 500W48V13A:459us\$ 500W48V15A:480us\$ 500W48V20A:512us\$ 750W48V8A:422us\$ 750W48V10:434us\$ 750W48V13A:470us\$ 750W48V15A:497us\$ 750W48V20A:520us\$ 1000W48V8A:429us\$ 1000W48V10:438us\$ 1000W48V13A:477us\$ 1000W48V15A:502us\$ 1000W48V20A:527us\$	https://imovingon.com/product/e-bike-range-liideway-m7/	20 inch 3.0 tires: Less:7.5us\$ Upgrade 750W Bafang motor:Extra:58us\$ Upgrade the hydraulic oil brake:extra:28us\$ Upgrading Kenda Rubber:Extra:13us\$
M8	 	<p>20inch fat tire 48V Ebike with front shock motor: 350W-1000W spoke wheel Range: 40km Battery: 48V8-20AH lithium battery Speed: 25km/h-50km/h Bowl set: electric vehicle specific bowl set Seat tube: aluminum alloy Tires: 20 * 4.0inch fat tire Horizontal handle: aluminum alloy Tooth disc: aluminum alloy crank 48T Allocation: Shimano TX50 allocation Back dial: Shimano ZT50 back dial Flywheel: Shimano 7-speed Mud board: 20 * 4.0 snowmobile half pack flying board Controller: 9-tube 25A Instrument: 5-speed P68 waterproof with USB Switch:horn/ headlight/ turn light Disc brake: disc brake for front and rear Chain: 120 special anti rust chains for electric vehicles Charger: certified plug 54.6VDC head 2.5 Load capacity: 150kg</p> <p>Three cycling modes 1. Pure electric 2. Electric assistance 3. Human cycling</p>	Packing size: 148*30*82CM NW:28kg GW:36kg 20ft:75pcs 40ft:145pcs 40HQ:183pcs	350W48V8A:474us\$ 350W48V10:503us\$ 350W48V13A:528us\$ 350W48V15A:546us\$ 350W48V20A:576us\$ 500W48V8A:483us\$ 500W48V10A:514us\$ 500W48V13A:533us\$ 500W48V15A:554us\$ 500W48V20A:586us\$ 750W48V8A:493us\$ 750W48V10:508us\$ 750W48V13A:544us\$ 750W48V15A:571us\$ 750W48V20A:594us\$ 1000W48V8A:498us\$ 1000W48V10:513us\$ 1000W48V13A:551us\$ 1000W48V15A:576us\$ 1000W48V20A:601us\$	https://imovingon.com/product/electric-bicycle-manufacturer-liideway-m8/	20 inch 3.0 tires: Less:7.5us\$ Upgrade 750W Bafang motor:Extra:58us\$ Upgrade the hydraulic oil brake:extra:28us\$ Upgrading Kenda Rubber:Extra:13us\$
M9	  	<p>20inch fat tire 48V Ebike with front shock motor: 350W-1000W spoke wheel Range: 40km Battery: 48V8-20AH lithium battery Speed: 25km/h-50km/h Bowl set: electric vehicle specific bowl set Seat tube: aluminum alloy Tires: 20 * 4.0inch fat tire Horizontal handle: aluminum alloy Tooth disc: aluminum alloy crank 48T Allocation: Shimano TX50 allocation Back dial: Shimano ZT50 back dial Flywheel: Shimano 7-speed Mud board: 20 * 4.0 snowmobile half pack flying board Controller: 9-tube 25A Instrument: 5-speed P68 waterproof with USB Switch:horn/ headlight/ turn light Disc brake: disc brake for front and rear Chain: 120 special anti rust chains for electric vehicles Charger: certified plug 54.6VDC head 2.5 Load capacity: 150kg</p> <p>Three cycling modes 1. Pure electric 2. Electric assistance 3. Human cycling</p>	Packing size: 148*30*82CM NW:28kg GW:36kg 20ft:75pcs 40ft:145pcs 40HQ:183pcs	350W48V8A:385us\$ 350W48V10:414us\$ 350W48V13A:432us\$ 350W48V15A:459us\$ 350W48V20A:487us\$ 500W48V8A:394us\$ 500W48V10A:425us\$ 500W48V13A:445us\$ 500W48V15A:465us\$ 500W48V20A:497us\$ 750W48V8A:407us\$ 750W48V10:419us\$ 750W48V13A:455us\$ 750W48V15A:482us\$ 750W48V20A:505us\$ 1000W48V8A:414us\$ 1000W48V10:423us\$ 1000W48V13A:463us\$ 1000W48V15A:487us\$ 1000W48V20A:513us\$	https://imovingon.com/product/electric-bicycle-company-liideway-m9/	20 inch 3.0 tires: Less:7.5us\$ Upgrade 750W Bafang motor:Extra:58us\$ Upgrade the hydraulic oil brake:extra:28us\$ Upgrading Kenda Rubber:Extra:13us\$

M10	 	<p>20inch fat tire 48V delivery ebike motor: 350W-1000W spoke wheel Range: 40km Battery: 48V8-20AH lithium battery(support double battery) Speed: 25km/h-50km/h Bowl set: electric vehicle specific bowl set Seat tube: aluminum alloy Tires: 20 * 4.0inch fat tire Horizontal handle: aluminum alloy Tooth disc: aluminum alloy crank 48T Allocation: Shimano TX50 allocation Back dial: Shimano ZT50 back dial Flywheel: Shimano 7-speed Mud board: 20 * 4.0 snowmobile half pack flying board Controller: 9-tube 25A Instrument: 5-speed P68 waterproof with USB Switch:horn/ headlight/ turn light Disc brake: disc brake for front and rear Chain: 120 special anti rust chains for electric vehicles Charger: certified plug 54.6VDC head 2.5 Load capacity: 150kg</p> <p>Three cycling modes 1. Pure electric 2. Electric assistance 3. Human cycling</p>	Packing size: 148*30*82CM NW:28kg GW:36kg 20ft:75pcs 40ft:145pcs 40HQ:183pcs	350W48V8A:385us\$ 350W48V10:414us\$ 350W48V13A:432us\$ 350W48V15A:459us\$ 350W48V20A:487us\$ 500W48V8A:394us\$ 500W48V10A:425us\$ 500W48V13A:445us\$ 500W48V15A:465us\$ 500W48V20A:497us\$ 750W48V8A:407us\$ 750W48V10:419us\$ 750W48V13A:455us\$ 750W48V15A:482us\$ 750W48V20A:505us\$ 1000W48V8A:414us\$ 1000W48V10:423us\$ 1000W48V13A:463us\$ 1000W48V15A:487us\$ 1000W48V20A:513us\$		20 inch 3.0 tires: Less:7.5us\$ Upgrade 750W Bafang motor:Extra:58us\$ Upgrade the hydraulic oil brake:extra:28us\$ Upgrading Kenda Rubber:Extra:13us\$
M11	 	<p>20inch fat tire 48V delivery ebike motor: 350W-1000W spoke wheel Range: 40km Battery: 48V8-20AH lithium battery Speed: 25km/h-50km/h Bowl set: electric vehicle specific bowl set Seat tube: aluminum alloy Tires: 20 * 4.0inch fat tire Horizontal handle: aluminum alloy Tooth disc: aluminum alloy crank 48T Allocation: Shimano TX50 allocation Back dial: Shimano ZT50 back dial Flywheel: Shimano 7-speed Mud board: 20 * 4.0 snowmobile half pack flying board Controller: 9-tube 25A Instrument: 5-speed P68 waterproof with USB Switch:horn/ headlight/ turn light Disc brake: disc brake for front and rear Chain: 120 special anti rust chains for electric vehicles Charger: certified plug 54.6VDC head 2.5 Load capacity: 150kg</p> <p>Three cycling modes 1. Pure electric 2. Electric assistance 3. Human cycling</p>	Packing size: 148*30*82CM NW:28kg GW:36kg 20ft:75pcs 40ft:145pcs 40HQ:183pcs	350W48V8A:434us\$ 350W48V10:463us\$ 350W48V13A:481us\$ 350W48V15A:508us\$ 350W48V20A:536us\$ 500W48V8A:443us\$ 500W48V10A:474us\$ 500W48V13A:495us\$ 500W48V15A:514us\$ 500W48V20A:546us\$ 750W48V8A:456us\$ 750W48V10:468us\$ 750W48V13A:504us\$ 750W48V15A:531us\$ 750W48V20A:554us\$ 1000W48V8A:463us\$ 1000W48V10:472us\$ 1000W48V13A:512us\$ 1000W48V15A:536us\$ 1000W48V20A:562us\$	https://imovingon.com/product/fat-tire-e-bike-liidaway-m11/	20 inch 3.0 tires: Less:7.5us\$ Upgrade 750W Bafang motor:Extra:58us\$ Upgrade the hydraulic oil brake:extra:28us\$ Upgrading Kenda Rubber:Extra:13us\$
M12	   	<p>20inch fat tire 48V Ebike with front/rear shock motor: 350W-1000W spoke wheel Range: 40km Battery: 48V8-20AH lithium battery Speed: 25km/h-50km/h Bowl set: electric vehicle specific bowl set Seat tube: aluminum alloy Tires: 20 * 4.0inch fat tire Horizontal handle: aluminum alloy Tooth disc: aluminum alloy crank 48T Allocation: Shimano TX50 allocation Back dial: Shimano ZT50 back dial Flywheel: Shimano 7-speed Mud board: 20 * 4.0 snowmobile half pack flying board Controller: 9-tube 25A Instrument: 5-speed P68 waterproof with USB Switch:horn/ headlight/ turn light Disc brake: disc brake for front and rear Chain: 120 special anti rust chains for electric vehicles Charger: certified plug 54.6VDC head 2.5 Load capacity: 150kg</p> <p>Three cycling modes 1. Pure electric 2. Electric assistance 3. Human cycling</p>	Packing size: 148CM*30CM*82CM M NW: 28 kilograms GW: 36 kilograms 20ft:75 units 40ft:145 units 40HQ: 183 units	350W48V8A:385us\$ 350W48V10:415us\$ 350W48V13A:447us\$ 350W48V15A:457us\$ 350W48V20A:487us\$ 500W48V8A:395us\$ 500W48V10A:425us\$ 500W48V13A:445us\$ 500W48V15A:465us\$ 500W48V20A:497us\$ 750W48V8A:407us\$ 750W48V10:419us\$ 750W48V13A:455us\$ 750W48V15A:483us\$ 750W48V20A:505us\$ 1000W48V8A:415us\$ 1000W48V10:423us\$ 1000W48V13A:463us\$ 1000W48V15A:487us\$ 1000W48V20A:513us\$	https://imovingon.com/product/battery-powered-bicycle-liidaway-m12/	20 inch 3.0 tires: Less:7.5us\$ Upgrade 750W Bafang motor:Extra:58us\$ Upgrade the hydraulic oil brake:extra:28us\$ Upgrading Kenda Rubber:Extra:13us\$

M13		<p>20inch fat tire 48V with front shock motor: 350W-1000W spoke wheel Range: 40km Battery: 48V8-20AH lithium battery Speed: 25km/h-50km/h Bowl set: electric vehicle specific bowl set Seat tube: aluminum alloy Tires: 20 * 4.0inch fat tire Horizontal handle: aluminum alloy Tooth disc: aluminum alloy crank 48T Allocation: Shimano TX50 allocation Back dial: Shimano ZT50 back dial Flywheel: Shimano 7-speed Mud board: 20 * 4.0 snowmobile half pack flying board Controller: 9-tube 25A Instrument: 5-speed P68 waterproof with USB Switch:horn/ headlight/ turn light Disc brake: disc brake for front and rear Chain: 120 special anti rust chains for electric vehicles Charger: certified plug 54.6VDC head 2.5 Load capacity: 150kg</p> <p>Three cycling modes 1. Pure electric 2. Electric assistance 3. Human cycling</p>	Packing size: 148*30*82CM NW:28kg GW:36kg 20ft:75pcs 40ft:145pcs 40HQ:183pcs	350W48V8A:434us\$ 350W48V10:463us\$ 350W48V13A:481us\$ 350W48V15A:508us\$ 350W48V20A:536us\$ 500W48V8A:443us\$ 500W48V10A:474us\$ 500W48V13A:495us\$ 500W48V15A:514us\$ 500W48V20A:546us\$ 750W48V8A:456us\$ 750W48V10:468us\$ 750W48V13A:504us\$ 750W48V15A:531us\$ 750W48V20A:554us\$ 1000W48V8A:463us\$ 1000W48V10:472us\$ 1000W48V13A:512us\$ 1000W48V15A:536us\$ 1000W48V20A:562us\$	https://imovingon.com/product/smart-e-bike-liideway-m13/	20 inch 3.0 tires: Less:7.5us\$ Upgrade 750W Bafang motor:Extra:58us\$ Upgrade the hydraulic oil brake:extra:28us\$ Upgrading Kenda Rubber:Extra:13us\$
M14		<p>20inch fat tire 48V Ebike with front/rear shock motor: 350W-1000W spoke wheel Range: 40km Battery: 48V8-20AH lithium battery Speed: 25km/h-50km/h Bowl set: electric vehicle specific bowl set Seat tube: aluminum alloy Tires: 20 * 4.0inch fat tire Horizontal handle: aluminum alloy Tooth disc: aluminum alloy crank 48T Allocation: Shimano TX50 allocation Back dial: Shimano ZT50 back dial Flywheel: Shimano 7-speed Mud board: 20 * 4.0 snowmobile half pack flying board Controller: 9-tube 25A Instrument: 5-speed P68 waterproof with USB Switch:horn/ headlight/ turn light Disc brake: disc brake for front and rear Chain: 120 special anti rust chains for electric vehicles Charger: certified plug 54.6VDC head 2.5 Load capacity: 150kg</p> <p>Three cycling modes 1. Pure electric 2. Electric assistance 3. Human cycling</p>	Packing size: 148*30*82CM NW:28kg GW:36kg 20ft:75pcs 40ft:145pcs 40HQ:183pcs	350W48V8A:474us\$ 350W48V10:503us\$ 350W48V13A:528us\$ 350W48V15A:546us\$ 350W48V20A:576us\$ 500W48V8A:483us\$ 500W48V10A:514us\$ 500W48V13A:533us\$ 500W48V15A:554us\$ 500W48V20A:586us\$ 750W48V8A:493us\$ 750W48V10:508us\$ 750W48V13A:544us\$ 750W48V15A:571us\$ 750W48V20A:594us\$ 1000W48V8A:498us\$ 1000W48V10:513us\$ 1000W48V13A:551us\$ 1000W48V15A:576us\$ 1000W48V20A:601us\$	https://imovingon.com/product/electric-mountain-bike-liideway-m14/	20 inch 3.0 tires: Less:7.5us\$ Upgrade 750W Bafang motor:Extra:58us\$ Upgrade the hydraulic oil brake:extra:28us\$ Upgrading Kenda Rubber:Extra:13us\$
M15		<p>20inch fat tire 48V Ebike with front/rear shock motor: 350W-1000W spoke wheel Range: 40km Battery: 48V8-20AH lithium battery Speed: 25km/h-50km/h Bowl set: electric vehicle specific bowl set Seat tube: aluminum alloy Tires: 20 * 4.0inch fat tire Horizontal handle: aluminum alloy Tooth disc: aluminum alloy crank 48T Allocation: Shimano TX50 allocation Back dial: Shimano ZT50 back dial Flywheel: Shimano 7-speed Mud board: 20 * 4.0 snowmobile half pack flying board Controller: 9-tube 25A Instrument: 5-speed P68 waterproof with USB Switch:horn/ headlight/ turn light Disc brake: disc brake for front and rear Chain: 120 special anti rust chains for electric vehicles Charger: certified plug 54.6VDC head 2.5 Load capacity: 150kg</p> <p>Three cycling modes 1. Pure electric 2. Electric assistance 3. Human cycling</p>	Packing size: 148*30*82CM NW:28kg GW:36kg 20ft:75pcs 40ft:145pcs 40HQ:183pcs	350W48V8A:524us\$ 350W48V10:553us\$ 350W48V13A:578us\$ 350W48V15A:596us\$ 350W48V20A:626us\$ 500W48V8A:533us\$ 500W48V10A:564us\$ 500W48V13A:583us\$ 500W48V15A:604us\$ 500W48V20A:636us\$ 750W48V8A:543us\$ 750W48V10:558us\$ 750W48V13A:594us\$ 750W48V15A:621us\$ 750W48V20A:644us\$ 1000W48V8A:548us\$ 1000W48V10:563us\$ 1000W48V13A:601us\$ 1000W48V15A:636us\$ 1000W48V20A:651us\$	https://imovingon.com/product/electric-cargo-bike-liideway-m15/	20 inch 3.0 tires: Less:7.5us\$ Upgrade 750W Bafang motor:Extra:58us\$ Upgrade the hydraulic oil brake:extra:28us\$ Upgrading Kenda Rubber:Extra:13us\$